


Require: Set of Features satisfied by Set of Attributes






Fig. 2

Typical ASCII job Ticket

%XRXbegin: 1.31

%XRXdisposition: PRINT

%XRXsenderName:

%XRXtitle: PostScript File

%XRXcopyCount: 1

%XRXpaperType-size: 216 279 **%XRXdocumentPaperColors:** white

%XRXpaper/Type-opacity: opaque

%XRXpaperType-preFinish: Plain 0 0

%XRXrecipientName:

%XRXrequirements: simplex

%XRXsignature: FALSE

%XRXsourceFile: ...

%XRXdeleteSource: FALSE

%XRXxImageShift: 5 %XRXyImageShift: 0

%XRXend

```
job: {
              medium-1
     name
              "Job Medium 1: ABC Inc.",
     label
              "stream1"
     stream
}
stream: {
              sequence,
      type
              "stream1"
      name
      streams (stream2 stream3)}
stream: {
              PDL-PCL
      type
              "stream2"
      name
              "cover.prn",
      data
      requires ({ resource Paper,
                attribute stockname,
                         "coloured paper" }
               value
           ) }
stream: {
              PDL-PCL
      type
              "stream3"
      name
      data
              "med_job1.prn",
      requires ( { resource Paper,
                          stockname,
                attribute
                           "ABC paper type1"}
                value
                ) }
```




Fig. 5

